



Understanding DECT NR+:

The first non-cellular

5G standard

# Today's hosts

Heidi Sollie



Product Marketing Engineer

Lauri Piikivi




Technical Product Manager DECT NR+





#### Practicalities

- Duration: about 45 minutes.
- Questions are encouraged!
  - Please type questions in the top of the right sidebar
  - All questions are anonymous
  - Try to keep them relevant to the topic
  - We will answer towards the end
- The chat is not anonymous, and do not use for questions
- Go to DevZone if you have more questions
- A recording of the webinar will be available together with the presentation at webinars.nordicsemi.com







## Agenda

- NR+: What is it and why should I care?
- Targeted applications and benefits
- NR+: How?
  - Upper layers, no physical stuff
- Status of the standard
- Status of the Implementation
- Q&A





# Why DECT NR+

- Opportunity to use existing spectrum allocation
- Utilizing existing cellular technology
- New radio standard




# Targeted applications

Made for massive IoT networks and low latency communications

#### 1. Massive IoT

- Networks of thousands of nodes
- Use case: Smart energy, smart city applications

- 2. Low latency communications
  - Latency 1 ms
  - Use case: Speech and audio, automation control



#### DECT NR+

Made for massive IoT networks and low latency communications

#### 1. Massive IoT

- Networks of thousands of nodes
- Use case: Smart energy, smart city applications

#### 2. Low latency communications

- Latency 1 ms
- Use case: Speech and audio, automation control

#### The benefits of NR+

Speed and latency



- Speed: 1 to 3.4 Mbps on HW, standard up to gigabits
- Latency: 1 ms on star,
  10ms per hop minimum
  for mesh

Low-power



 Long sleep times for devices are possible Mesh network



- Self healing
- Self load-balancing

Frequency spectrum






- Minimal cost of ownership
- No subscription costs
- Global spectrum 1900MHz, minimal regional variation
- Avoid congested 2.4GHz



## Vocabulary



Synonyms

Star

1. Sink = Gateway / Border Router

2. FT = Relay Node / Router Node / Parent Node

Tree-Mesh


3. PT = Leaf Node / Node / Child Node

"A mesh network is a local area network topology in which the infrastructure nodes connect directly, dynamically and nonhierarchically to as many other nodes as possible and cooperate with one another to efficiently route data to and from clients." Wikipedia NR+ is a partial mesh,

NR+ is a partial mesh, clustered tree topology


## Network protocol layers

- Convergence (CVG) layer:
  Application multiplexing
- Data Link Control (DLC) layer:
  Routing, segmentation
- Medium Access Control (MAC)
  layer: Radio resource control
- Physical (PHY) layer: OFDM, HARQ, etc.




# NR+: Convergence (CVG) layer And Data link control (DLC)

- CVG Provides application layer data identification and multiplexing between multiple applications
  - Mesh E2E security
- DLC provides transport service selection
  - O Transparent
  - 1 Segmentation
  - 2 ARQ
  - 3 Segmentation and ARQ
- DLC handles routing of packets




# DLC: Network routing

- Up: To sink
  - Forward to parewnt until it reaches sink
- Sink can forward to internet




## DLC: Network routing

- Down: Flooding
- From sink, forward to all child relays
- Relays forward to child relays
- Relay that has the destination as a direct leaf sends only to that leaf
- Flooding with hop limit also for Node-to-Node communication
- Routing is very resilient to changes in network
- Leafs moving to other Relays is instantenous



#### NR+: MAC layer

- Central, lots of features in MAC for the radio resource control
- Broadcast / multicast / unicast
- Dedicated resource or random access.
- Radio addresses.
  - 32bit network wide address
  - 16bit cluster (link) address
- Beacons for radio resource control
- Hybrid ARQ ACK/NACK to PHY



#### MAC: Radio Channel Resource Control (RRC)




Relay, a routing FT device, manages radio resource with Beacons

- Every beacon period need to scan channel, update reservations for next beacon
- Allocating TX time for leafs in beacons

#### Leaf follows relay beacon

- Following the beacon avoids dedicated reservations, no scans needed
- Listen before talk on random access channel to relay

#### RRC: Beacon is the basis



1. Send own

2. Listen parent relay

Allocated RACH window for leafs upwards traffick


Dedicated flow (or legacy DECT) detected on scanning the channel during previous Beacon period

## RRC: Power optimization of beacon




Extreme power save, low data, long latency


Beacon period can be from 10 ms to 32 secs



Moderate power save moderate data, low latency

#### Summary






Sink node Application IPv6 CVG Security service Transmission Transmission service service **EndPoint multiplexing** DLC Routing service DLC entity set MAC PHY RD3

#### Dedicated flows

- leaf makes an association / modification stating the needed dedicated flow resource
  - How many slots, period, what is the validity period for reservation
- relay verifies the capacity exists and acknowledges
- Dedicated flow slots must be used, the data must be ready for sending at the reserved time
- Dedicated flow is over 1 link only






# Standard approach

DECT NR+ standard defines features.

 Profile is the selection of features for specific application needs

 No general interop standard, application / device specific networks



(c) Lego, they are just great

#### Standard status

 Core standards are approved by ETSI and ITU, 24 February 2022, now version 1.4.1

Overview ETSLTS 103 636-1

Radio requirements ETSLTS 103 636-2

PHY
 ETSI TS 103 636-3

MAC
 ETSI TS 103 636-4

DLC and CVG
 ETSI TS 103 636-5



- Working on
  - Harmonized test specification EN 301 406-2
  - Application Profile, Metering TS 103 874
- Gathering requirements for Rel 2 update



# Status of the implementation, as of April -23

- Nordic will release a DECT NR+ PHY SW Variant for nRF91 series end of 2023
- Our partner in standardization and development Wirepas has a full mesh stack solution on top of the Nordic PHY



 For audio and low latency communications Nordic is working with several early access customers

#### Learn more from Nordic - be self-driven







devzone.nordicsemi.com

academy.nordicsemi.com

webinars.nordicsemi.com