

Mode: All

Left file: C:\code\nrf5_SDK_17.0\nRF5_SDK_17.0.2_d674dde\examples\peripheral\cli_libuarte\pca10100\blank\ses\cli_libuarte_pca10100.emProject

Right file: C:\code\nrf5_SDK_17.0\nRF5_SDK_17.0.2_d674dde\examples\peripheral\cli_libuarte\pca10056\blank\ses\cli_libuarte_pca10056.emProject

<!DOCTYPE CrossStudio_Project_File>	=	<!DOCTYPE CrossStudio_Project_File>
<solution Name="cli_libuarte_pca10100" target="8" version="2"> <project Name="cli_libuarte_pca10100">	<>	<solution Name="cli_libuarte_pca10056" target="8" version="2"> <project Name="cli_libuarte_pca10056">
<configuration Name="Common" arm_architecture="v7EM" arm_core_type="Cortex-M4" arm_endian="Little" arm_fp_abi="Hard" arm_fpu_type="FPv4-SP-D16" arm_linker_heap_size="8192" arm_linker_process_stack_size="0" arm_linker_stack_size="8192" arm_linker_treat_warnings_as_errors="No"	=	<configuration Name="Common" arm_architecture="v7EM" arm_core_type="Cortex-M4" arm_endian="Little" arm_fp_abi="Hard" arm_fpu_type="FPv4-SP-D16" arm_linker_heap_size="8192" arm_linker_process_stack_size="0" arm_linker_stack_size="8192" arm_linker_treat_warnings_as_errors="No"
arm_simulator_memory_simulation_parameter="RX 00000000,0 » 0080000,FFFFFFFF;RWX 20000000,00020000,CDCDCDCD" arm_target_device_name="nRF52833_xxAA"	<>	arm_simulator_memory_simulation_parameter="RWX 00000000, » 00100000,FFFFFFFF;RWX 20000000,00010000,CDCDCDCD" arm_target_device_name="nRF52840_xxAA"
arm_target_interface_type="SWD"	=	arm_target_interface_type="SWD"
c_preprocessor_definitions="APP_TIMER_V2;APP_TIMER_V2_RT » C1_ENABLED;BOARD_PCA10100;CONFIG_GPIO_AS_PINRESET;FLOAT_ABI_ » HARD;INITIALIZE_USER_SECTIONS;NO_VTOR_CONFIG;NRF52833_XXAA"	+ -	
c_user_include_directories="../../../../config;../../../../ » ../../components;../../../../components/boards;../../../../ » ../../components/drivers_nrf/nrf_soc_nosd;../../../../ » ../../components/libraries/atomic;../../../../component » s/libraries/atomic_fifo;../../../../components/librari » es/balloc;../../../../components/libraries/bsp;../../../../ » ../../components/libraries/button;../../../../com » ponents/libraries/cli;../../../../components/libraries » /cli/libuarte;../../../../components/libraries/cli/rtt » ;../../../../components/libraries/delay;../../../../ » ../../components/libraries/experimental_section_vars;../../../../ » ../../components/libraries/hardfault;../../../../co » mponents/libraries/hardfault/nrf52;../../../../compone » nts/libraries/libuarte;../../../../components/librarie » s/log;../../../../components/libraries/log/src;../../../../ » ../../components/libraries/memobj;../../../../com » ponents/libraries/mutex;../../../../components/librari	=	c_user_include_directories="../../../../config;../../../../ » ../../components;../../../../components/boards;../../../../ » ../../components/drivers_nrf/nrf_soc_nosd;../../../../ » ../../components/libraries/atomic;../../../../component » s/libraries/atomic_fifo;../../../../components/librari » es/balloc;../../../../components/libraries/bsp;../../../../ » ../../components/libraries/button;../../../../com » ponents/libraries/cli;../../../../components/libraries » /cli/libuarte;../../../../components/libraries/cli/rtt » ;../../../../components/libraries/delay;../../../../ » ../../components/libraries/experimental_section_vars;../../../../ » ../../components/libraries/hardfault;../../../../co » mponents/libraries/hardfault/nrf52;../../../../compone » nts/libraries/libuarte;../../../../components/librarie » s/log;../../../../components/libraries/log/src;../../../../ » ../../components/libraries/memobj;../../../../com » ponents/libraries/mutex;../../../../components/librari

Left file: C:\code\nrf5_SDK_17.0\nRF5_SDK_17.0.2_d674dde\examples\peripheral\cli_libuarte\pca10100\blank\ses\cli_libuarte_pca10100.emProject

Right file: C:\code\nrf5_SDK_17.0\nRF5_SDK_17.0.2_d674dde\examples\peripheral\cli_libuarte\pca10056\blank\ses\cli_libuarte_pca10056.emProject

(continued)

» es/pwr_mgmt;../../../../components/libraries/queue;../ » ../../../../../../components/libraries/ringbuf;../../../../.. » ./components/libraries/scheduler;../../../../component » s/libraries/sortlist;../../../../components/libraries/ » strerror;../../../../components/libraries/timer;../.. » ../../../../../../components/libraries/util;../../../../comp » onents/toolchain/cmsis/include;../../../../../../../../ex » ternal/fnmatch;../../../../external/fprintf;../../../../. » ../../external/segger_rtt;../../../../integration/nr » fx;../../../../integration/nrfx/legacy;../../../../.. » ../modules/nrfx;../../../../modules/nrfx/drivers/inclu » de;../../../../modules/nrfx/hal;../../../../modu » les/nrfx/mdk;../config;"	<>	» es/pwr_mgmt;../../../../components/libraries/queue;../ » ../../../../../../components/libraries/ringbuf;../../../../.. » ./components/libraries/scheduler;../../../../component » s/libraries/sortlist;../../../../components/libraries/ » strerror;../../../../components/libraries/timer;../.. » ../../../../../../components/libraries/util;../../../../comp » onents/toolchain/cmsis/include;../../../../../../../../ex » ternal/fnmatch;../../../../external/fprintf;../../../../. » ../../external/segger_rtt;../../../../integration/nr » fx;../../../../integration/nrfx/legacy;../../../../.. » ../modules/nrfx;../../../../modules/nrfx/drivers/inclu » de;../../../../modules/nrfx/hal;../../../../modu » les/nrfx/mdk;../config;"
debug_register_definition_file="C:/code/nrf5_SDK_17.0/nR » F5_SDK_17.0.2_d674dde/modules/nrfx/mdk/nrf52833.svd"	<>	c_preprocessor_definitions="APP_TIMER_V2;APP_TIMER_V2_RT » C1_ENABLED;BOARD_PCA10056;CONFIG_GPIO_AS_PINRESET;FLOAT_ABI_ » HARD;INITIALIZE_USER_SECTIONS;NO_VTOR_CONFIG;NRF52840_XXAA;"
debug_start_from_entry_point_symbol="No"		
debug_target_connection="J-Link"	=	debug_target_connection="J-Link"
gcc_debugging_level="Level 3"	+ -	
gcc_entry_point="Reset_Handler"	=	gcc_entry_point="Reset_Handler"
linker_output_format="hex" linker_printf_fmt_level="long"	<>	macros="CMSIS_CONFIG_TOOL=../../../../external_too » ls/cmsisconfig/CMSIS_Configuration_Wizard.jar" debug_register_definition_file="../../../../module » s/nrfx/mdk/nrf52840.svd" debug_start_from_entry_point_symbol="No" gcc_debugging_level="Level 3" linker_output_format= » "hex"
linker_printf_width_precision_supported="Yes"	=	linker_printf_width_precision_supported="Yes"
linker_scanf_fmt_level="long"	- +	linker_printf_fmt_level="long"
linker_section_placement_file="flash_placement.xml" linker_section_placement_macros="FLASH_PH_START=0x0;FLAS » H_PH_SIZE=0x100000;RAM_PH_START=0x20000000;RAM_PH_SIZE=0x400 » 00;FLASH_START=0x0;FLASH_SIZE=0x100000;RAM_START=0x20000000; » RAM_SIZE=0x40000"	=	linker_scanf_fmt_level="long" linker_section_placement_file="flash_placement.xml" linker_section_placement_macros="FLASH_PH_START=0x0;FLAS » H_PH_SIZE=0x100000;RAM_PH_START=0x20000000;RAM_PH_SIZE=0x400 » 00;FLASH_START=0x0;FLASH_SIZE=0x100000;RAM_START=0x20000000; » RAM_SIZE=0x40000"
linker_section_placements_segments="FLASH RX 0x0 0x40000 » ;RAM1 RWX 0x20000000 0x8000"	<>	linker_section_placements_segments="FLASH RX 0x0 0x10000 » 0;RAM1 RWX 0x20000000 0x40000"

Left file: C:\code\nrf5_SDK_17.0\nRF5_SDK_17.0.2_d674dde\examples\peripheral\cli_libuarte\pca10100\blank\sos\cli_libuarte_pca10100.emProject

Right file: C:\code\nrf5_SDK_17.0\nRF5_SDK_17.0.2_d674dde\examples\peripheral\cli_libuarte\pca10056\blank\sos\cli_libuarte_pca10056.emProject

(continued)

<pre> macros="CMSIS_CONFIG_TOOL=../../../../../../../../external_tool/ » ls/cmsisconfig/CMSIS_Configuration_Wizard.jar" </pre>		
<pre> project_directory="" project_type="Executable" /> </pre>	=	<pre> project_directory="" project_type="Executable" /> </pre>
<pre> <folder Name="Segger Startup Files"> <file file_name="\$(StudioDir)/source/thumb_crt0.s" /> </folder> </pre>	<>	<pre> <folder Name="Segger Startup Files"> <file file_name="\$(StudioDir)/source/thumb_crt0.s" /> </folder> </pre>
<pre> <folder Name="nRF_Log"> <file file_name="../../../../../../components/libraries/ » log/src/nrf_log_backend_rtt.c" /> <file file_name="../../../../../../components/libraries/ » log/src/nrf_log_backend_serial.c" /> <file file_name="../../../../../../components/libraries/ » log/src/nrf_log_default_backends.c" /> <file file_name="../../../../../../components/libraries/ » log/src/nrf_log_frontend.c" /> <file file_name="../../../../../../components/libraries/ » log/src/nrf_log_str_formatter.c" /> </folder> <folder Name="Board Definition"> <file file_name="../../../../../../components/boards/boa » rds.c" /> </folder> <folder Name="nRF_Libraries"> <file file_name="../../../../../../components/libraries/ » button/app_button.c" /> <file file_name="../../../../../../components/libraries/ » util/app_error.c" /> <file file_name="../../../../../../components/libraries/ » util/app_error_handler_gcc.c" /> <file file_name="../../../../../../components/libraries/ » util/app_error_weak.c" /> <file file_name="../../../../../../components/libraries/ » scheduler/app_scheduler.c" /> <file file_name="../../../../../../components/libraries/ » timer/app_timer2.c" /> <file file_name="../../../../../../components/libraries/ » util/app_util_platform.c" /> </pre>	=	<pre> <folder Name="nRF_Log"> <file file_name="../../../../../../components/libraries/ » log/src/nrf_log_backend_rtt.c" /> <file file_name="../../../../../../components/libraries/ » log/src/nrf_log_backend_serial.c" /> <file file_name="../../../../../../components/libraries/ » log/src/nrf_log_default_backends.c" /> <file file_name="../../../../../../components/libraries/ » log/src/nrf_log_frontend.c" /> <file file_name="../../../../../../components/libraries/ » log/src/nrf_log_str_formatter.c" /> </folder> <folder Name="Board Definition"> <file file_name="../../../../../../components/boards/boa » rds.c" /> </folder> <folder Name="nRF_Libraries"> <file file_name="../../../../../../components/libraries/ » button/app_button.c" /> <file file_name="../../../../../../components/libraries/ » util/app_error.c" /> <file file_name="../../../../../../components/libraries/ » util/app_error_handler_gcc.c" /> <file file_name="../../../../../../components/libraries/ » util/app_error_weak.c" /> <file file_name="../../../../../../components/libraries/ » scheduler/app_scheduler.c" /> <file file_name="../../../../../../components/libraries/ » timer/app_timer2.c" /> <file file_name="../../../../../../components/libraries/ » util/app_util_platform.c" /> </pre>

Left file: C:\code\nrf5_SDK_17.0\nRF5_SDK_17.0.2_d674dde\examples\peripheral\cli_libuarte\pca10100\blank\ses\cli_libuarte_pca10100.emProject

Right file: C:\code\nrf5_SDK_17.0\nRF5_SDK_17.0.2_d674dde\examples\peripheral\cli_libuarte\pca10056\blank\ses\cli_libuarte_pca10056.emProject

(continued)

```
<file file_name="../../../components/libraries/
» timer/drv_rtc.c" />
<file file_name="../../../external/fnmatch/fnma
» tch.c" />
<file file_name="../../../components/libraries/
» hardfault/nrf52/handler/hardfault_handler_gcc.c" />
<file file_name="../../../components/libraries/
» hardfault/hardfault_implementation.c" />
<file file_name="../../../components/libraries/
» util/nrf_assert.c" />
<file file_name="../../../components/libraries/
» atomic_fifo/nrf_atfifo.c" />
<file file_name="../../../components/libraries/
» atomic/nrf_atomic.c" />
<file file_name="../../../components/libraries/
» balloc/nrf_balloc.c" />
<file file_name="../../../components/libraries/
» cli/nrf_cli.c" />
<file file_name="../../../components/libraries/
» cli/libuarte/nrf_cli_libuarte.c" />
<file file_name="../../../components/libraries/
» cli/rtt/nrf_cli_rtt.c" />
<file file_name="../../../external/fprintf/nrf_
» fprintf.c" />
<file file_name="../../../external/fprintf/nrf_
» fprintf_format.c" />
<file file_name="../../../components/libraries/
» libuarte/nrf_libuarte_async.c" />
<file file_name="../../../components/libraries/
» libuarte/nrf_libuarte_drv.c" />
<file file_name="../../../components/libraries/
» memobj/nrf_memobj.c" />
<file file_name="../../../components/libraries/
» pwr_mgmt/nrf_pwr_mgmt.c" />
<file file_name="../../../components/libraries/
» queue/nrf_queue.c" />
<file file_name="../../../components/libraries/
» ringbuf/nrf_ringbuf.c" />
```

```
<file file_name="../../../components/libraries/
» timer/drv_rtc.c" />
<file file_name="../../../external/fnmatch/fnma
» tch.c" />
<file file_name="../../../components/libraries/
» hardfault/nrf52/handler/hardfault_handler_gcc.c" />
<file file_name="../../../components/libraries/
» hardfault/hardfault_implementation.c" />
<file file_name="../../../components/libraries/
» util/nrf_assert.c" />
<file file_name="../../../components/libraries/
» atomic_fifo/nrf_atfifo.c" />
<file file_name="../../../components/libraries/
» atomic/nrf_atomic.c" />
<file file_name="../../../components/libraries/
» balloc/nrf_balloc.c" />
<file file_name="../../../components/libraries/
» cli/nrf_cli.c" />
<file file_name="../../../components/libraries/
» cli/libuarte/nrf_cli_libuarte.c" />
<file file_name="../../../components/libraries/
» cli/rtt/nrf_cli_rtt.c" />
<file file_name="../../../external/fprintf/nrf_
» fprintf.c" />
<file file_name="../../../external/fprintf/nrf_
» fprintf_format.c" />
<file file_name="../../../components/libraries/
» libuarte/nrf_libuarte_async.c" />
<file file_name="../../../components/libraries/
» libuarte/nrf_libuarte_drv.c" />
<file file_name="../../../components/libraries/
» memobj/nrf_memobj.c" />
<file file_name="../../../components/libraries/
» pwr_mgmt/nrf_pwr_mgmt.c" />
<file file_name="../../../components/libraries/
» queue/nrf_queue.c" />
<file file_name="../../../components/libraries/
» ringbuf/nrf_ringbuf.c" />
```

Left file: C:\code\nrf5_SDK_17.0\nRF5_SDK_17.0.2_d674dde\examples\peripheral\cli_libuarte\pca10100\blank\ses\cli_libuarte_pca10100.emProject

Right file: C:\code\nrf5_SDK_17.0\nRF5_SDK_17.0.2_d674dde\examples\peripheral\cli_libuarte\pca10056\blank\ses\cli_libuarte_pca10056.emProject

(continued)

```

    <file file_name="../../../../../../../../components/libraries/
» experimental_section_vars/nrf_section_iter.c" />
    <file file_name="../../../../../../../../components/libraries/
» sortlist/nrf_sortlist.c" />
    <file file_name="../../../../../../../../components/libraries/
» strerror/nrf_strerror.c" />
    </folder>
    <folder Name="nRF_Drivers">
        <file file_name="../../../../../../../../integration/nrfx/lega
» cy/nrf_drv_clock.c" />
        <file file_name="../../../../../../../../components/drivers_nr
» f/nrf_soc_nosd/nrf_nvic.c" />
        <file file_name="../../../../../../../../components/drivers_nr
» f/nrf_soc_nosd/nrf_soc.c" />
        <file file_name="../../../../../../../../modules/nrfx/soc/nrfx
» _atomic.c" />
        <file file_name="../../../../../../../../modules/nrfx/drivers/
» src/nrfx_clock.c" />
        <file file_name="../../../../../../../../modules/nrfx/drivers/
» src/nrfx_gpiote.c" />
        <file file_name="../../../../../../../../modules/nrfx/drivers/
» src/nrfx_ppi.c" />
        <file file_name="../../../../../../../../modules/nrfx/drivers/
» src/nrfx_rtc.c" />
        <file file_name="../../../../../../../../modules/nrfx/drivers/
» src/nrfx_timer.c" />
    </folder>
    <folder Name="Board Support">
        <file file_name="../../../../../../../../components/libraries/
» bsp/bsp.c" />
    </folder>
    <folder Name="Application">
        <file file_name="../../../../main.c" />
        <file file_name="../config/sdk_config.h" />
    </folder>
    <folder Name="nRF_Segger_RTT">
        <file file_name="../../../../../../../../external/segger_rtt/S
» EGGER_RTT.c" />

```

```

    <file file_name="../../../../../../../../components/libraries/
» experimental_section_vars/nrf_section_iter.c" />
    <file file_name="../../../../../../../../components/libraries/
» sortlist/nrf_sortlist.c" />
    <file file_name="../../../../../../../../components/libraries/
» strerror/nrf_strerror.c" />
    </folder>
    <folder Name="nRF_Drivers">
        <file file_name="../../../../../../../../integration/nrfx/lega
» cy/nrf_drv_clock.c" />
        <file file_name="../../../../../../../../components/drivers_nr
» f/nrf_soc_nosd/nrf_nvic.c" />
        <file file_name="../../../../../../../../components/drivers_nr
» f/nrf_soc_nosd/nrf_soc.c" />
        <file file_name="../../../../../../../../modules/nrfx/soc/nrfx
» _atomic.c" />
        <file file_name="../../../../../../../../modules/nrfx/drivers/
» src/nrfx_clock.c" />
        <file file_name="../../../../../../../../modules/nrfx/drivers/
» src/nrfx_gpiote.c" />
        <file file_name="../../../../../../../../modules/nrfx/drivers/
» src/nrfx_ppi.c" />
        <file file_name="../../../../../../../../modules/nrfx/drivers/
» src/nrfx_rtc.c" />
        <file file_name="../../../../../../../../modules/nrfx/drivers/
» src/nrfx_timer.c" />
    </folder>
    <folder Name="Board Support">
        <file file_name="../../../../../../../../components/libraries/
» bsp/bsp.c" />
    </folder>
    <folder Name="Application">
        <file file_name="../../../../main.c" />
        <file file_name="../config/sdk_config.h" />
    </folder>
    <folder Name="nRF_Segger_RTT">
        <file file_name="../../../../../../../../external/segger_rtt/S
» EGGER_RTT.c" />

```

Left file: C:\code\nrf5_SDK_17.0\nRF5_SDK_17.0.2_d674dde\examples\peripheral\cli_libuarte\pca10100\blank\ses\cli_libuarte_pca10100.emProject

Right file: C:\code\nrf5_SDK_17.0\nRF5_SDK_17.0.2_d674dde\examples\peripheral\cli_libuarte\pca10056\blank\ses\cli_libuarte_pca10056.emProject

(continued)

<pre> <file file_name="../../../external/segger_rtt/S » EGGER_RTT_Syscalls_SES.c" /> <file file_name="../../../external/segger_rtt/S » EGGER_RTT_printf.c" /> </folder> <folder Name="None"> </pre>		<pre> <file file_name="../../../external/segger_rtt/S » EGGER_RTT_Syscalls_SES.c" /> <file file_name="../../../external/segger_rtt/S » EGGER_RTT_printf.c" /> </folder> <folder Name="None"> </pre>
	+-	<pre> <file file_name="../../../modules/nrfx/mdk/ses_ » startup_nrf52840.s" /> </pre>
<pre> <file file_name="../../../modules/nrfx/mdk/ses_ » startup_nrf_common.s" /> </pre>	=	<pre> <file file_name="../../../modules/nrfx/mdk/ses_ » startup_nrf_common.s" /> </pre>
<pre> <file file_name="../../../modules/nrfx/mdk/ses_ » startup_nrf52833.s" /> <file file_name="../../../modules/nrfx/mdk/syst » em_nrf52833.c" /> </pre>	<>	
		<pre> <file file_name="../../../modules/nrfx/mdk/syst » em_nrf52840.c" /> </pre>
<pre> </folder> </pre>	=	<pre> </folder> </pre>
<pre> <configuration Name="Debug" arm_linker_symbols_files="" linker_section_placement_macros="FLASH_PH_START=0x0 ;FLA » SH_PH_SIZE=0x40000;RAM_PH_START=0x20000000;RAM_PH_SIZE=0x800 » 0;FLASH_START=0x0;FLASH_SIZE=0x40000;RAM_START=0x20000000;RA » M_SIZE=0x8000" linker_section_placements_segments="FLASH RX 0x0 0x40000 » ;RAM1 RWX 0x20000000 0x8000" /> </pre>	+-	
<pre> </project> </pre>	=	<pre> </project> </pre>
<pre> <configuration Name="Release" </pre>	<>	<pre> <configuration Name="Release" </pre>
<pre> c_preprocessor_definitions="NDEBUG" </pre>	=	<pre> c_preprocessor_definitions="NDEBUG" </pre>
<pre> gcc_optimization_level="Optimize For Size" </pre>	<>	<pre> link_time_optimization="No" gcc_optimization_level="Opt » imize For Size" /> </pre>
<pre> link_time_optimization="No" /> <configuration Name="Debug" </pre>		<pre> <configuration Name="Debug" </pre>
<pre> c_preprocessor_definitions="DEBUG; DEBUG_NRF" </pre>	=	<pre> c_preprocessor_definitions="DEBUG; DEBUG_NRF" </pre>
<pre> gcc_optimization_level="None" /> </pre>	<>	<pre> gcc_optimization_level="None"/> </pre>
<pre> </solution> </pre>	=	<pre> </solution> </pre>